



©2017

Big Ideas Math Advanced 2 Correlation to the Common Core State Standards *Advanced Pathway*

Big Ideas Math Advanced 2 ©2017
Correlated to
Common Core State Standards for Mathematics Grade 7 Advanced

Standard	Pages or Locations Where Standard is Addressed
Domain: The Number System	
8.NS.1	Know that numbers that are not rational are called irrational. Understand informally that every number has a decimal expansion; for rational numbers show that the decimal expansion repeats eventually, and convert a decimal expansion which repeats eventually into a rational number. <i>Primary SE/TE: 308-315 (7.4), 316-317 (Ext. 7.4)</i>
8.NS.2	Use rational approximations of irrational numbers to compare the size of irrational numbers, locate them approximately on a number line diagram, and estimate the value of expressions (e.g., π^2). <i>Primary SE/TE: 308-315 (7.4)</i>
Domain: Expressions and Equations	
7.EE.4	b. Solve word problems leading to inequalities of the form $px + q > r$ or $px + q < r$, where p , q , and r are specific rational numbers. Graph the solution set of the inequality and interpret it in the context of the problem. <i>Primary SE/TE: 464-469 (11.1), 470-475 (11.2), 478-485 (11.3), 486-491 (11.4)</i>
8.EE.1	Know and apply the properties of integer exponents to generate equivalent numerical expressions. <i>For example, $3^2 \times 3^{-5} = 3^{-3} = (1/3)^3 = 1/27$.</i> <i>Primary SE/TE: 410-415 (10.1), 416-421 (10.2), 422-427 (10.3), 428-433 (10.4)</i>
8.EE.2	Use square root and cube root symbols to represent solutions to equations of the form $x^2 = p$ and $x^3 = p$, where p is a positive rational number. Evaluate square roots of small perfect squares and cube roots of small perfect cubes. Know that $\sqrt{2}$ is irrational. <i>Primary SE/TE: 288-293 (7.1), 294-299 (7.2), 300-305 (7.3), 318-323 (7.5)</i> <i>Supporting SE/TE: 308-315 (7.4)</i>
8.EE.3	Use numbers expressed in the form of a single digit times an integer power of 10 to estimate very large or very small quantities, and to express how many times as much one is than the other. <i>Primary SE/TE: 436-441 (10.5), 442-447 (10.6), 448-453 (10.7)</i>
8.EE.4	Perform operations with numbers expressed in scientific notation, including problems where both decimal and scientific notation are used. Use scientific notation and choose units of appropriate size for measurements of very large or very small quantities (e.g., use millimeters per year for seafloor spreading). Interpret scientific notation that has been generated by technology. <i>Primary SE/TE: 436-441 (10.5), 442-447 (10.6), 448-453 (10.7)</i>
8.EE.5	Graph proportional relationships, interpreting the unit rate as the slope of the graph. Compare two different proportional relationships represented in different ways. <i>Primary SE/TE: 158-163 (4.3)</i> <i>Supporting SE/TE: 142-147 (4.1)</i>
8.EE.6	Use similar triangles to explain why the slope m is the same between any two distinct points on a non-vertical line in the coordinate plane; derive the equation $y = mx$ for a line through the origin and the equation $y = mx + b$ for a line intercepting the vertical axis at b . <i>Primary SE/TE: 148-155 (4.2), 158-163 (4.3), 166-171 (4.4)</i> <i>Supporting SE/TE: 156-157 (Ext. 4.2), 172-177 (4.5)</i>

Big Ideas Math Advanced 2 ©2017
Correlated to
Common Core State Standards for Mathematics Grade 7 Advanced

Standard		Pages or Locations Where Standard is Addressed
8.EE.7	Solve linear equations in one variable.	
	a. Give examples of linear equations in one variable with one solution, infinitely many solutions, or no solutions. Show which of these possibilities is the case by successively transforming the given equation into simpler forms, until an equivalent equation of the form $x = a$, $a = a$, or $a = b$ results (where a and b are different numbers).	<i>Primary SE/TE:</i> 2-9 (1.1), 10-15 (1.2), 18-25 (1.3) <i>Supporting SE/TE:</i> 26-31 (1.4), 230-231 (Ext. 5.4)
	b. Solve linear equations with rational number coefficients, including equations whose solutions require expanding expressions using the distributive property and collecting like terms.	<i>Primary SE/TE:</i> 2-9 (1.1), 10-15 (1.2), 18-25 (1.3) <i>Supporting SE/TE:</i> 26-31 (1.4), 201, 230-231 (Ext. 5.4)
8.EE.8	Analyze and solve pairs of simultaneous linear equations.	
	a. Understand that solutions to a system of two linear equations in two variables correspond to points of intersection of their graphs, because points of intersection satisfy both equations simultaneously.	<i>Primary SE/TE:</i> 202-207 (5.1), 224-229 (5.4) <i>Supporting SE/TE:</i> 230-231 (Ext. 5.4)
	b. Solve systems of two linear equations in two variables algebraically, and estimate solutions by graphing the equations. Solve simple cases by inspection.	<i>Primary SE/TE:</i> 202-207 (5.1), 208-213 (5.2), 216-223 (5.3), 224-229 (5.4) <i>Supporting SE/TE:</i> 230-231 (Ext. 5.4)
	c. Solve real-world and mathematical problems leading to two linear equations in two variables.	<i>Primary SE/TE:</i> 202-207 (5.1), 208-213 (5.2), 216-223 (5.3), 224-229 (5.4) <i>Supporting SE/TE:</i> 230-231 (Ext. 5.4)
Domain: Functions		
8.F.1	Understand that a function is a rule that assigns to each input exactly one output. The graph of a function is the set of ordered pairs consisting of an input and the corresponding output.	<i>Primary SE/TE:</i> 242-247 (6.1), 248-255 (6.2)
8.F.2	Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions).	<i>Primary SE/TE:</i> 256-263 (6.3)
8.F.3	Interpret the equation $y = mx + b$ as defining a linear function, whose graph is a straight line; give examples of functions that are not linear.	<i>Primary SE/TE:</i> 256-263 (6.3), 266-271 (6.4)
8.F.4	Construct a function to model a linear relationship between two quantities. Determine the rate of change and initial value of the function from a description of a relationship or from two (x, y) values, including reading these from a table or from a graph. Interpret the rate of change and initial value of a linear function in terms of the situation it models, and in terms of its graph or a table of values.	<i>Primary SE/TE:</i> 256-263 (6.3) <i>Supporting SE/TE:</i> 178-183 (4.6), 184-189 (4.7), 371

Big Ideas Math Advanced 2 ©2017
Correlated to
Common Core State Standards for Mathematics Grade 7 Advanced

Standard		Pages or Locations Where Standard is Addressed
8.F.5	Describe qualitatively the functional relationship between two quantities by analyzing a graph (e.g., where the function is increasing or decreasing, linear or nonlinear). Sketch a graph that exhibits the qualitative features of a function that has been described verbally.	<i>Primary SE/TE: 272-277 (6.5)</i>
Domain: Geometry		
7.G.1	Solve problems involving scale drawings of geometric figures, including computing actual lengths and areas from a scale drawing and reproducing a scale drawing at a different scale.	<i>Primary SE/TE: 530-537 (12.5)</i>
7.G.2	Draw (freehand, with ruler and protractor, and with technology) geometric shapes with given conditions. Focus on constructing triangles from three measures of angles or sides, noticing when the conditions determine a unique triangle, more than one triangle, or no triangle.	<i>Primary SE/TE: 514-519 (12.3), 524-529 (12.4)</i>
7.G.3	Describe the two-dimensional figures that result from slicing three-dimensional figures, as in plane sections of right rectangular prisms and right rectangular pyramids.	<i>Primary SE/TE: 620-621 (Ext. 14.5)</i>
7.G.4	Know the formulas for the area and circumference of a circle and use them to solve problems; give an informal derivation of the relationship between the circumference and area of a circle.	<i>Primary SE/TE: 548-555 (13.1), 564-569 (13.3)</i> <i>Supporting SE/TE: 556-561 (13.2), 600-605 (14.3)</i>
7.G.5	Use facts about supplementary, complementary, vertical, and adjacent angles in a multi-step problem to write and solve simple equations for an unknown angle in a figure.	<i>Primary SE/TE: 502-507 (12.1), 508-513 (12.2), 520-521 (Ext. 12.3)</i>
7.G.6	Solve real-world and mathematical problems involving area, volume and surface area of two- and three-dimensional objects composed of triangles, quadrilaterals, polygons, cubes, and right prisms.	<i>Primary SE/TE: 570-575 (13.4), 586-593 (14.1), 594-599 (14.2), 608-613 (14.4), 614-619 (14.5)</i>
Verify experimentally the properties of rotations, reflections, and translations:		
8.G.1	a. Lines are taken to lines, and line segments to line segments of the same length.	<i>Primary SE/TE: 48-53 (2.2), 54-59 (2.3), 60-67 (2.4)</i>
	b. Angles are taken to angles of the same measure.	<i>Primary SE/TE: 48-53 (2.2), 54-59 (2.3), 60-67 (2.4)</i>
	c. Parallel lines are taken to parallel lines.	<i>Primary SE/TE: 48-53 (2.2), 54-59 (2.3), 60-67 (2.4)</i>
8.G.2	Understand that a two-dimensional figure is congruent to another if the second can be obtained from the first by a sequence of rotations, reflections, and translations; given two congruent figures, describe a sequence that exhibits the congruence between them.	<i>Primary SE/TE: 48-53 (2.2), 54-59 (2.3), 60-67 (2.4)</i> <i>Supporting SE/TE: 42-47 (2.1)</i>

Big Ideas Math Advanced 2 ©2017
Correlated to
Common Core State Standards for Mathematics Grade 7 Advanced

Standard		Pages or Locations Where Standard is Addressed
8.G.3	Describe the effect of dilations, translations, rotations, and reflections on two-dimensional figures using coordinates.	<i>Primary SE/TE:</i> 48-53 (2.2), 54-59 (2.3), 60-67 (2.4), 82-89 (2.7)
8.G.4	Understand that a two-dimensional figure is similar to another if the second can be obtained from the first by a sequence of rotations, reflections, translations, and dilations; given two similar two-dimensional figures, describe a sequence that exhibits the similarity between them.	<i>Primary SE/TE:</i> 82-89 (2.7) <i>Supporting SE/TE:</i> 70-75 (2.5), 76-81 (2.6)
8.G.5	Use informal arguments to establish facts about the angle sum and exterior angle of triangles, about the angles created when parallel lines are cut by a transversal, and the angle-angle criterion for similarity of triangles.	<i>Primary SE/TE:</i> 102-109 (3.1), 110-115 (3.2), 126-131 (3.4) <i>Supporting SE/TE:</i> 118-125 (3.3)
8.G.6	Explain a proof of the Pythagorean Theorem and its converse.	<i>Primary SE/TE:</i> 300-305 (7.3), 318-323 (7.5)
8.G.7	Apply the Pythagorean Theorem to determine unknown side lengths in right triangles in real-world and mathematical problems in two and three dimensions.	<i>Primary SE/TE:</i> 300-305 (7.3), 318-323 (7.5)
8.G.8	Apply the Pythagorean Theorem to find the distance between two points in a coordinate system.	<i>Primary SE/TE:</i> 300-305 (7.3), 318-323 (7.5)
8.G.9	Know the formulas for the volumes of cones, cylinders, and spheres and use them to solve real-world and mathematical problems.	<i>Primary SE/TE:</i> 334-339 (8.1), 340-345 (8.2), 348-353 (8.3) <i>Supporting SE/TE:</i> 354-361 (8.4)
Domain: Statistics and Probability		
7.SP.1	Understand that statistics can be used to gain information about a population by examining a sample of the population; generalizations about a population from a sample are valid only if the sample is representative of that population. Understand that random sampling tends to produce representative samples and support valid inferences.	<i>Primary SE/TE:</i> 672-677 (15.6)
7.SP.2	Use data from a random sample to draw inferences about a population with an unknown characteristic of interest. Generate multiple samples (or simulated samples) of the same size to gauge the variation in estimates or predictions.	<i>Primary SE/TE:</i> 672-677 (15.6), 678-679 (Ext. 15.6)
7.SP.3	Informally assess the degree of visual overlap of two numerical data distributions with similar variabilities, measuring the difference between the centers by expressing it as a multiple of a measure of variability.	<i>Primary SE/TE:</i> 680-685 (15.7)
7.SP.4	Use measures of center and measures of variability for numerical data from random samples to draw informal comparative inferences about two populations.	<i>Primary SE/TE:</i> 680-685 (15.7)

Big Ideas Math Advanced 2 ©2017
Correlated to
Common Core State Standards for Mathematics Grade 7 Advanced

Standard		Pages or Locations Where Standard is Addressed
7.SP.5	Understand that the probability of a chance event is a number between 0 and 1 that expresses the likelihood of the event occurring. Larger numbers indicate greater likelihood. A probability near 0 indicates an unlikely event, a probability around 1/2 indicates an event that is neither unlikely nor likely, and a probability near 1 indicates a likely event.	<i>Primary SE/TE:</i> 638-643 (15.2) <i>Supporting SE/TE:</i> 632-637 (15.1), 644-651 (15.3)
7.SP.6	Approximate the probability of a chance event by collecting data on the chance process that produces it and observing its long-run relative frequency, and predict the approximate relative frequency given the probability.	<i>Primary SE/TE:</i> 644-651 (15.3)
7.SP.7	Develop a probability model and use it to find probabilities of events. Compare probabilities from a model to observed frequencies; if the agreement is not good, explain possible sources of the discrepancy.	
	a. Develop a uniform probability model by assigning equal probability to all outcomes, and use the model to determine probabilities of events.	<i>Primary SE/TE:</i> 638-643 (15.2), 644-651 (15.3)
	b. Develop a probability model (which may not be uniform) by observing frequencies in data generated from a chance process.	<i>Primary SE/TE:</i> 644-651 (15.3)
7.SP.8	Find probabilities of compound events using organized lists, tables, tree diagrams, and simulation.	
	a. Understand that, just as with simple events, the probability of a compound event is the fraction of outcomes in the sample space for which the compound event occurs.	<i>Primary SE/TE:</i> 652-659 (15.4), 660-667 (15.5)
	b. Represent sample spaces for compound events using methods such as organized lists, tables and tree diagrams. For an event described in everyday language (e.g., “rolling double sixes”), identify the outcomes in the sample space which compose the event.	<i>Primary SE/TE:</i> 652-659 (15.4), 660-667 (15.5)
	c. Design and use a simulation to generate frequencies for compound events.	<i>Primary SE/TE:</i> 668-669 (Ext. 15.5)
8.SP.1	Construct and interpret scatter plots for bivariate measurement data to investigate patterns of association between two quantities. Describe patterns such as clustering, outliers, positive or negative association, linear association, and nonlinear association.	<i>Primary SE/TE:</i> 372-377 (9.1), 378-383 (9.2) <i>Supporting SE/TE:</i> 392-399 (9.4)
8.SP.2	Know that straight lines are widely used to model relationships between two quantitative variables. For scatter plots that suggest a linear association, informally fit a straight line, and informally assess the model fit by judging the closeness of the data points to the line.	<i>Primary SE/TE:</i> 378-383 (9.2)
8.SP.3	Use the equation of a linear model to solve problems in the context of bivariate measurement data, interpreting the slope and intercept.	<i>Primary SE/TE:</i> 378-383 (9.2)

Big Ideas Math Advanced 2 ©2017
Correlated to
Common Core State Standards for Mathematics Grade 7 Advanced

Standard		Pages or Locations Where Standard is Addressed
8.SP.4	Understand that patterns of association can also be seen in bivariate categorical data by displaying frequencies and relative frequencies in a two-way table. Construct and interpret a two-way table summarizing data on two categorical variables collected from the same subjects. Use relative frequencies calculated for rows or columns to describe possible association between the two variables.	<i>Primary SE/TE: 386-391 (9.3)</i>

Big Ideas Math Advanced 2 ©2017
Correlated to
Common Core State Standards for Mathematics Grade 7 Advanced

Standard	Pages or Locations Where Standard is Addressed
Mathematical Practices	
	<p>Big Ideas Math is a research-based program, systematically developed using the Common Core State Standards for Mathematical Practice as the underlying structure. The Standards for Mathematical Practice are seamlessly connected to the Common Core State Content Standards resulting in a program that maximizes both teacher effectiveness and student understanding. Every section has additional Mathematical Practice support in the Dynamic Classroom and in the online Lesson Plans at BigIdeasMath.com.</p>

Big Ideas Math Advanced 2 ©2017
Correlated to
Common Core State Standards for Mathematics Grade 7 Advanced

Standard	Pages or Locations Where Standard is Addressed
<p>1 Make sense of problems and persevere in solving them.</p> <p>Mathematically proficient students:</p> <ul style="list-style-type: none"> • Explain to themselves the meaning of a problem and looking for entry points to its solution. • Analyze givens, constraints, relationships, and goals • Make conjectures about the form and meaning of the solution attempt. • Plan a solution pathway rather than simply jumping into a solution. • Consider analogous problems and try special cases and simpler forms of the original problem in order to gain insight into its solution. • Monitor and evaluate their progress and change course if necessary. • Transform algebraic expressions or change the viewing window on their graphing calculator to get information. • Explain correspondences between equations, verbal descriptions, tables, and graphs. • Draw diagrams of important features and relationships, graph data, and search for regularity or trends. • Use concrete objects or pictures to help conceptualize and solve a problem. • Check their answers to problems using a different method. • Ask themselves, “Does this make sense?” • Understand the approaches of others to solving complex problems and identify correspondences between approaches. 	<p>Each section begins with an Essential Question. Students look for entry points using guides such as In Your Own Words. Clear step-by-step examples encourage students to plan a solution pathway rather than jumping into a solution attempt. Guided questions and instructional scaffolding support students’ perseverance.</p> <p>Sample references:</p> <p>Chapter 1, pages 10-15 Chapter 2, pages 76-81 Chapter 4, pages 148-155 Chapter 4, pages 178-183 Chapter 5, pages 208-213 Chapter 5, pages 216-223 Chapter 6, pages 272-277 Chapter 8, pages 334-339 Chapter 10, pages 410-415 Chapter 11, pages 464-469 Chapter 12, pages 520-521 Chapter 13, pages 564-569 Chapter 13, pages 570-575 Chapter 14, pages 620-621 Chapter 15, pages 632-637</p>

Big Ideas Math Advanced 2 ©2017
Correlated to
Common Core State Standards for Mathematics Grade 7 Advanced

	Standard	Pages or Locations Where Standard is Addressed
2	<p>Reason abstractly and quantitatively.</p> <p>Mathematically proficient students:</p> <ul style="list-style-type: none"> • Make sense of quantities and their relationships in problem situations. • Bring two complementary abilities to bear on problems involving quantitative relationships: <ul style="list-style-type: none"> - Decontextualize (abstract a given situation and represent it symbolically and manipulate the representing symbols as if they have a life of their own, without necessarily attending to their referents) and - Contextualize (pause as needed during the manipulation process in order to probe into the referents for the symbols involved) • Use quantitative reasoning that entails creating a coherent representation of the problem at hand, considering the units involved, and attending to the meaning of quantities, not just how to compute them . • Know and flexibly use different properties of operations and objects. 	<p>Students learn to represent problems by consistently using a verbal model, paying close attention to units and employing mathematical properties. This helps students represent problems symbolically and manipulate the representative symbols. They are taught to contextualize by thinking about the referents and symbols involved.</p> <p>Sample references:</p> <p>Chapter 1, pages 18-25 Chapter 3, pages 126-131 Chapter 4, pages 172-177 Chapter 8, pages 340-345 Chapter 10, pages 428-433 Chapter 15, pages 672-677</p>

Big Ideas Math Advanced 2 ©2017
Correlated to
Common Core State Standards for Mathematics Grade 7 Advanced

	Standard	Pages or Locations Where Standard is Addressed
3	<p>Construct viable arguments and critique the reasoning of others.</p> <p>Mathematically proficient students:</p> <ul style="list-style-type: none"> • Understand and use stated assumptions, definitions, and previously established results in constructing arguments. • Make conjectures and build a logical progression of statements to explore the truth of their conjectures. • Analyze situations by breaking them into cases. • Recognize and use counterexamples. • Justify their conclusions, communicate them to others, and respond to the arguments of others. • Reason inductively about data, making plausible arguments that take into account the context from which the data arose. • Compare the effectiveness of two plausible arguments. • Distinguish correct logic or reasoning from that which is flawed and, if there is a flaw, explain what it is <ul style="list-style-type: none"> - Elementary students construct arguments using concrete referents such as objects, drawings, diagrams, and actions. - Later students learn to determine domains to which an argument applies. • Listen or read the arguments of others, decide whether they make sense, and ask useful question to clarify or improve arguments. 	<p>Throughout the series students are expected to develop models, formulate deductions, and make conjectures. Essential Questions, Error Analysis exercises, and Reasoning exercises provide opportunities for students to make assumptions, examine results, and explain their reasoning. What Is Your Answer, In Your Own Words, You Be The Teacher, and Which One Doesn't Belong encourage debate and sensemaking.</p> <p>Sample references:</p> <p>Chapter 1, pages 2-9 Chapter 2, pages 48-53 Chapter 3, pages 82-89 Chapter 3, pages 118-125 Chapter 4, pages 166-171 Chapter 4, pages 184-189 Chapter 6, pages 248-255 Chapter 7, pages 300-305 Chapter 9, pages 386-391 Chapter 10, pages 448-453 Chapter 11, pages 478-485 Chapter 12, pages 502-507 Chapter 12, pages 508-513 Chapter 13, pages 548-555 Chapter 14, pages 586-593 Chapter 15, pages 638-643 Chapter 15, pages 660-667</p>

Big Ideas Math Advanced 2 ©2017
Correlated to
Common Core State Standards for Mathematics Grade 7 Advanced

	Standard	Pages or Locations Where Standard is Addressed
4	<p>Model with mathematics.</p> <p>Mathematically proficient students:</p> <ul style="list-style-type: none"> • Apply the mathematics they know to solve problems arising in everyday life, society, and the workplace. <ul style="list-style-type: none"> - In early grades, this might be as simple as writing an addition equation to describe a situation. - In middle grades, a student might apply proportional reasoning to plan a school event or analyze a problem in the community. - By high school, a student might use geometry to solve a design problem or use a function to describe how one quantity of interest depends on another. • Make assumptions and approximations to simplify a complicated situation, realizing that these may need revision later. • Identify important quantities in a practical situation • Map their relationships using such tools as diagrams, two-way tables, graphs, flowcharts and formulas. • Analyze those relationships mathematically to draw conclusions. • Interpret their mathematical results in the context of the situation. • Reflect on whether the results make sense, possibly improving the model if it has not served its purpose. 	<p>In each section, students work with the mathematics of everyday life. Students use graphs, tables, charts, number lines, diagrams, flowcharts, and formulas to organize, make sense of, and identify realistic solutions to real-life situations. Students write stories involving math, on topics such as using percents to help them improve their grades. Visual representations, such as integer tiles and fraction models, help students make sense of numeric operations.</p> <p>Sample references:</p> <p>Chapter 2, pages 70-75 Chapter 5, pages 224-229 Chapter 6, pages 266-271 Chapter 8, pages 348-353 Chapter 9, pages 378-383 Chapter 9, pages 392-399 Chapter 10, pages 436-441 Chapter 11, pages 470-475 Chapter 14, pages 608-613 Chapter 15, pages 644-651</p>

Big Ideas Math Advanced 2 ©2017
Correlated to
Common Core State Standards for Mathematics Grade 7 Advanced

	Standard	Pages or Locations Where Standard is Addressed
5	<p>Use appropriate tools strategically.</p> <p>Mathematically proficient students:</p> <ul style="list-style-type: none"> • Consider available tools when solving a mathematical problem. (pencil and paper, concrete models, ruler, protractor, calculator, spreadsheet, computer algebra system, statistical package, or dynamic geometry software) • Are sufficiently familiar with tools appropriate for their grade or course to make sound decisions about when each of these tools might be helpful, recognizing both the insight to be gained and their limitations. • Detect possible errors by strategically using estimation and other mathematical knowledge. • Know that technology can enable them to visualize the results of varying assumptions, explore consequences, and compare predictions with data. • Identify relevant external mathematical resources and use them to pose or solve problems. • Use technological tools to explore and deepen their understanding of concepts. 	<p>Opportunities for students to select and use appropriate tools such as graphing calculators, protractors, measuring devices, websites, and other external resources are provided for students throughout the series.</p> <p>Sample references:</p> <p>Chapter 2, pages 42-47 Chapter 4, pages 142-147 Chapter 5, pages 202-207 Chapter 7, pages 308-315 Chapter 9, pages 372-377 Chapter 12, pages 514-519 Chapter 12, pages 524-529 Chapter 15, pages 680-685</p>

Big Ideas Math Advanced 2 ©2017
Correlated to
Common Core State Standards for Mathematics Grade 7 Advanced

	Standard	Pages or Locations Where Standard is Addressed
6	<p>Attend to Precision. Mathematically proficient students:</p> <ul style="list-style-type: none"> • Try to communicate precisely to others. <ul style="list-style-type: none"> - In the elementary grades, students give carefully formulated explanations to each other. - In high school, students have learned to examine claims and make explicit use of definitions. • Try to use clear definitions in discussion with others and in their own reasoning. • State the meaning of the symbols they choose, including using the equal sign consistently and appropriately. • Specify units of measure and label axes to clarify the correspondence with quantities in a problem. • Calculate accurately and efficiently, express numerical answers with a degree of precision appropriate for the problem context. 	<p>Through the balanced approach to instruction, students have daily opportunities to communicate mathematically. Students work through activities, examples, and exercises to understand and use the language of mathematics, paying careful attention to the importance of units, labeling, and quantities.</p> <p>Sample references:</p> <p>Chapter 2, pages 60-67 Chapter 3, pages 102-109 Chapter 6, pages 256-263 Chapter 7, pages 288-293 Chapter 7, pages 318-323 Chapter 10, pages 442-447 Chapter 11, pages 486-491 Chapter 12, pages 530-537 Chapter 13, pages 556-561 Chapter 14, pages 594-599</p>

Big Ideas Math Advanced 2 ©2017
Correlated to
Common Core State Standards for Mathematics Grade 7 Advanced

	Standard	Pages or Locations Where Standard is Addressed
7	<p>Look for and make use of structure.</p> <p>Mathematically proficient students:</p> <ul style="list-style-type: none"> • Look closely to discern a pattern or structure. <ul style="list-style-type: none"> - Young students might notice that three and seven more is the same amount as seven and three more or they may sort a collection of shapes according to how many sides the shapes have. - Later, students will see 7×8 equals the well remembered $7 \times 5 + 7 \times 3$, in preparation for the distributive property. - In the expression $x^2 + 9x + 14$, older students can see the 14 as 2×7 and the 9 as $2 + 7$. They recognize the significance of an existing line in a geometric figure and can use the strategy of drawing an auxiliary line for solving problems. • Step back for an overview and can shift perspective. • See complicated things, such as some algebraic expressions, as single objects or composed of several objects. 	<p>Real and relevant word problems encourage students to “see” that these problems are composed of several components. Students find that some mathematical representations share common mathematical structures and learn to look for these relationships discerning inherent patterns and structures.</p> <p>Sample references:</p> <p>Chapter 2, pages 54-59 Chapter 4, pages 158-163 Chapter 6, pages 242-247 Chapter 7, pages 294-299 Chapter 10, pages 416-421 Chapter 14, pages 600-605 Chapter 14, pages 614-619 Chapter 15, pages 652-659</p>
8	<p>Look for and express regularity in repeated reasoning.</p> <p>Mathematically proficient students:</p> <ul style="list-style-type: none"> • Notice if calculations are repeated. • Look both for general methods and for shortcuts. <ul style="list-style-type: none"> - Upper elementary students might notice when dividing 25 by 11 that they are repeating the same calculations over and over again, and conclude they have a repeated decimal. - Paying attention to the calculation of slope as they repeatedly check whether the points are on the line through (1,2) with a slope 3, middle school students might abstract the equation $(y-2)/(x-1)=3$. - Noticing the regularity in the way terms cancel when expanding $(x-1)(x+1)$, $(x-1)(x^2+x+1)$, and $(x-1)(x^3+x^2+x+1)$ might lead high school students to the general formula for the sum of a geometric series. • Maintain oversight of the process of solving a problem, while attending to the details. • Continually evaluate the reasonableness of intermediate results. 	<p>The series helps students see that mathematics is well structured and predictable. Students work through a problem, not through the numbers. They consider factors such as an appropriate answer to the question, reasonable intermediate steps, and a realistic solution.</p> <p>Sample references:</p> <p>Chapter 1, pages 26-31 Chapter 3, pages 110-115 Chapter 8, pages 354-361 Chapter 10, pages 422-427</p>